2018 AWWA Water Audit Level 1 Validation

OXNARD WATER DEPT Water System Name:

> CA5610007 Water System ID Number:

JANUARY 1-DECEMBER 31, 2018 Water Audit Period:

Water Audit & Water Loss Improvement Steps

meter accuracy verification. Minimal steps were taken in 2018 but staff has received more education and is in the process of evaluating actions to increase data validity and

Steps taken in preceding year to increase data validity, reduce real loss and apparent loss as informed by the annual validated water audit:

Certification Statement by Utility Executive:

in their manual, Water Audits and Loss Control Programs, Manual M36, Fourth Edition and in the Free Water Audit Software version 5. Code Section 10608.34 and has been prepared in accordance with the method adopted by the American Water Works Association, as contained This water loss audit report meets the requirements of California Code of Regulations Title 23, Division 2, Chapter 7 and the California Water

Executive Name (Print) Omar Castro **Executive Position** Water Division Manager Signature Date

9/27/19



2018 AWWA Water Audit Level 1 Validation – Review Document

Audit Information:

Utility: Oxnard

PWS ID: CA5610007

System Type: Potable

Validation Date: 9/24/2019

Audit Period: Calendar Year 2018

Call Time: 9:30 am

Utility Representation: Megan Hines, Nancy Broschart, Abraham Maldonado and other staff

Sufficient Supporting Documents Provided: Yes

Validation Findings & Confirmation Statement:

Key Audit Metrics:

Data Validity Score: 54 Data Validity Band (Level): Band III (51-70)

Real Loss: 18.71 (gal/conn/day)

Apparent Loss: 12.47 (gal/conn/day)

Non-revenue water as percent of cost of operating system: 6.7%

Certification Statement by Validator

7 and the California Water Code Section 10608.34 This water loss audit report has been Level 1 validated per the requirements of California Code of Regulations Title 23, Division 2, Chapter

All recommendations on volume derivation and Data Validity Grades were incorporated into the water audit. oximes

Validator Information:

Water Audit Validator: Tory Wagoner, P.E.

Validator Qualifications: Water Audit Validator (WAV) through CANV AWWA